




PUMP PERFORMANCE

Model:	SP 20
Motor type (V):	415 (3-Phase) - 50 Hz
Motor rating (Kw):	1.3
Max power input (Kw):	1.7
Running current: (Amps)	4.2
Max solids (mm):	40
Discharge Spigot:	3" Bauer (80 mm)
Dimensions: (H x W) mm	700 x 320
Weight: (excl cable) Kg	29

Please see the pump accessory section






PUMP PERFORMANCE

Model:	SP 30
Motor type (V):	415 (3-Phase) - 50 Hz
Motor rating (Kw):	3.3
Max power input (Kw):	3.9
Running current: (Amps)	6.8
Max solids (mm):	60
Discharge Spigot:	3" Bauer (80 mm)
Dimensions: (H x W) mm	700 x 320
Weight: (excl cable) Kg	34

Please see the pump accessory section






PUMP PERFORMANCE

Model:	SP 50
Motor type (V):	415 (3-Phase) - 50 Hz
Motor rating (Kw):	5.2
Max power input (Kw):	6.2
Running current: (Amps)	11
Max solids (mm):	65
Discharge Spigot:	3" Bauer (80 mm)
Dimensions: (H x W) mm	760 x 410
Weight: (excl cable) Kg	52

Please see the pump accessory section





PUMP PERFORMANCE

Model:	SP 80
Motor type (V):	415 (3-Phase) - 50 Hz
Motor rating (Kw):	8.0
Max power input (Kw):	9.4
Running current: (Amps)	18
Max solids (mm):	65
Discharge Spigot:	4" Bauer (100 mm)
Dimensions: (H x W) mm	810 x 560
Weight: (excl cable) Kg	67

Please see the pump
accessory section

